Date printed 19.02.2014, Revision 19.02.2014



Version 04. Supersedes version: 03 Pag

Page 1 / 8

SEC	TION 1: Identification of the substa	nce / preparation and of the company	
1.1	Product identifier		
		febi 02582 grease Article number 02582, 04020	
1.2	Relevant identified uses of the su	bstance or mixture and uses advised against	
1.2.1	Relevant uses		
		Lubricant	
1.2.2	Uses advised against		
		None known.	
1.3	Details of the supplier of the safet	w data sheet	
1.3	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency phone Advisory body Company	+49 (0)89-19240 (24h) (english) +49 2333 911-0	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance or	mixture	
2.1.1	Classification according to Regula	ation (EC) No 1272/2008 [CLP] not determined	
2.1.2	Classification according to Regula	ation 67/548/EEC or 1999/45/EC No classification.	
2.2	Label elements		
	Labelling according to Regulation	67/548/EEC or 1999/45/EC The product does not require a hazard warning label in accordance with EC-directives.	
	Hazard symbols	none	
	R-phrases	none	
	Special labelling	Safety data sheet available for professional user on request.	
2.3	Other hazards		
	Physico-chemical hazards	No particular hazards known.	
	Human health dangers	Frequent persistent contact with the skin can cause skin irritation.	
	Environmental hazards	Does not contain any PBT or vPvB substances.	
	Other hazards	No particular hazards known.	

Date printed 19.02.2014, Revision 19.02.2014



Version 04. Supersedes version: 03 F

Page 2 / 8

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

	Pange [%]	Substance	
		Range [%] Substance < 2,5 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	
	< 2,5	CAS: 68649-42-3, EINECS/ELINCS: 272-028-3	
	GHS/CLP: Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Aquatic Chronic 2: H411		
	EEC: Xi-N, R 38-41-51/53		
	Comment on com	ponent parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. For full text of H-statements and R-phrases: see SECTION 16.
SEC	TION 4: First aid	measures	
4.1	Description of fi	rst aid measures	i
	General information	on	Change soaked clothing.
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek for medical treatment.
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion		Consult a doctor immediately. Do not induce vomiting.
4.2	Most important	symptoms and e	ffects, both acute and delayed
			Irritant effects
4.3	Indication of any	y immediate med	ical attention and special treatment needed
			Treat symptomatically. Forward this sheet to the doctor.
SECTION 5: Fire-fighting measures			
5.1	Extinguishing m	nedia	
	Suitable extinguis		Carbon dioxide. Water spray jet. Dry powder.
	Extinguishing med	dia that must not	Foam. Full water jet.
5.2	Special hazards	arising from the	substance or mixture
0.2	opeolar nazarao	anoing nom the	Unknown risk of formation of toxic pyrolysis products.
			Carbon monoxide (CO) Phosphorus oxides (POx).
			Sulphur oxides (SOx).
5.3	Advice for firefig	ghters	
			Use self-contained breathing apparatus.
			Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations. Collect contaminated firefighting water separately, must not be discharged into the drains.
SEC	TION 6: Accident	al release measu	
SEC	TON 6. Accident	ai release measu	1100

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.

Date printed 19.02.2014, Revision 19.02.2014

environmental exposition



Version 04. Supersedes version: 03

Page 3 / 8

• •			
6.2	Environmental precautions	Do not discharge into the drains/surface waters/groundwater.	
6.3	Methods and material for containr	nent and cleaning up Take up mechanically. Take up residues with absorbent material (e.g. sand, sawdust, generalpurpose binder, diatomaceous earth). Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections	See SECTION 8+13	
SEC	FION 7: Handling and storage		
7.1	Precautions for safe handling		
7.1	recouldn's for sale handling	No special measures necessary if used correctly.	
		Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace.	
7.2	Conditions for safe storage, inclue	ding any incompatibilities	
		Keep only in original container.	
		Do not store together with oxidizing agents. Do not store together with food and animal food/diet.	
		Keep container tightly closed. Keep in a cool place. Protect from heat/overheating and from sun.	
7.3	Specific end use(s)		
		See product use, SECTION 1.2	
SEC	FION 8: Exposure controls / persor	nal protection	
8.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB)	not applicable	
8.2	Exposure controls		
	Additional advice on system design	Ensure adequate ventilation on workstation.	
	Eye protection	If there is a risk of splashing: Safety glasses.	
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374).	
	Skin protection	not applicable	
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.	
	Respiratory protection	Breathing apparatus in the event of high concentrations. Short term: filter apparatus, combination filter A-P2.	
	Thermal hazards	No information available.	
	Delimitation and monitoring of the	See SECTION 6+7.	

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 02582 grease Article number 02582, 04020

Ferdinand Bilstein GmbH + Co. KG

Date printed 19.02.2014, Revision 19.02.2014



Version 04. Supersedes version: 03

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

intornation on basic physical and	chemical propert
Form	pasty
Color	black
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	> 300
Flash point [°C]	> 200
Flammability [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	~ 0,93
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	not determined
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	> 180
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Strong oxidizing agent.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 19.02.2014, Revision 19.02.2014



Version 04. Supersedes version: 03

Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Range [%]	Substance
< 2,5 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts, CAS: 68649-42-3	
	LD50, dermal, Rat: > 2000 mg/kg (Lit.).
	LD50, oral, Rat: > 2230 mg/kg (Lit.).

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	Frequent persistent contact with the skin can cause skin irritation.
	No classification on the basis of the calculation procedure of the preparation directive. Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

TOXICITY	
Range [%]	Substance
< 2,5 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts, CAS: 68649-42-3	
	LC50, (96h), Pimephales promelas: 1 - 5 mg/L (IUCLID).
EC50, (96h), Selenastrum capricornutum: 1 - 5 mg/L (IUCLID).	
	EC50, (48h), Daphnia magna: 1 - 1,5 mg/L (IUCLID).

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive. Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

Date printed 19.02.2014, Revision 19.02.2014



Version 04. Supersedes version: 03

Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Disposal in an incineration plant in accordance with the regulations of the local authorities. For recycling, consult manufacturer.
Waste no. (recommended)	120112* spent waxes and fats
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Uncontaminated packaging may be reused.
Waste no. (recommended)	150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

Date printed 19.02.2014, Revision 19.02.2014



Version 04. Supersedes version: 03

Page 7 / 8

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		regulations/legislation specific for the substance or mixture
	EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
	- Observe employment restrictions for people	no
	- VOC (1999/13/CE)	not applicable
15.2	Chemical safety assessment	not applicable
SEC	TION 16: Other information	
16.1	R-phrases (SECTION 3)	
-	,,	R 38: Irritating to skin. R 41: Risk of serious damage to eyes. R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
16.2	Hazard statements (SECTION 3)	
		H411 Toxic to aquatic life with long lasting effects. H318 Causes serious eye damage. H315 Causes skin irritation.
16.3	Abbreviations and acronyms:	
		ADR = Accord européen relatif au transport international des marchandises Dangereuses par
		Route RID = Règlement concernant le transport international ferroviaire de marchandises
		dangereuses
		ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
		CAS = Chemical Abstracts Service
		CLP = Classification, Labelling and Packaging
		DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level
		EC50 = Median effective concentration
		ECB = European Chemicals Bureau EEC = European Economic Community
		EINECS = European Inventory of Existing Commercial Chemical Substances
		ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals
		IATA = International Air Transport Association
		IBC-Code = International Code for the Construction and Equipment of Ships carrying
		Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%
		IMDG = International Maritime Code for Dangerous Goods
		IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50%
		LD50 = Median lethal dose
		MARPOL = International Convention for the Prevention of Marine Pollution from Ships
		PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration
		REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
		TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit
		VOC = Volatile Organic Compounds
		vPvB = very Persistent and very Bioaccumulative

Date printed 19.02.2014, Revision 19.02.2014



Version 04. Supersedes version: 03

Page 8 / 8

Modified position

SECTION 4 been added: Forward this sheet to the doctor. SECTION 6 been added: Forms slippery surfaces with water. SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace. SECTION 7 been added: Take off contaminated clothing and wash before reuse.

SECTION 8 been added: If there is a risk of splashing: