Date printed 18.02.2014, Revision 17.02.2014



Version 04. Supersedes version: 03

Page 1 / 9

SEC	SECTION 1: Identification of the substance / preparation and of the company			
1.1 Product identifier				
		febi 03630 grease Article number 03630		
1.2	Relevant identified uses of the se	ubstance or mixture and uses advised against		
1.2.1	I Relevant uses			
		Lubricant		
1.2.2	2 Uses advised against			
		None known.		
1.3	Details of the supplier of the safe	ety data sheet		
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com		
	Address enquiries to			
	Technical information	info@febi.com		
	Safety Data Sheet	info@febi.com		
1.4	5. 51			
	Advisory body Company	+49 (0)89-19240 (24h) (english) +49 2333 911-0		
SEC	TION 2: Hazards identification			
2.1				
2.1.1	I Classification according to Regu	not determined		
2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC No classification.				
2.2	Label elements			
		The product does not require a hazard warning label in accordance with EC-directives.		
	Labelling according to Regulation	on 67/548/EEC or 1999/45/EC		
	Hazard symbols	none		
	R-phrases Special labelling	none Safety data sheet available for professional user on request.		
2.3	Other hazards			
	Physico-chemical hazards	No particular hazards known.		
	Human health dangers	Frequent persistent contact with the skin can cause skin irritation.		
	Environmental hazards Other hazards	Does not contain any PBT or vPvB substances.		
		none		

Date printed 18.02.2014, Revision 17.02.2014



Version 04. Supersedes version: 03 Pag

Page 2 / 9

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
1 - < 2,5	aromatic amine alkylated
	GHS/CLP: Aquatic Chronic 3: H412
	EEC: R 52/53
0,1 - 1	1,2-Dihydro-2,2,4-trimethylquinoline, oligomers
	CAS: 26780-96-1, EINECS/ELINCS: 500-051-3
	GHS/CLP: Aquatic Chronic 3: H412
	EEC: R 52/53
0,1 - < 0,25	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, ECB-Nr.: 01-2119565113-46-XXXX
	GHS/CLP: Aquatic Chronic 1: H410, M = 1
	EEC: N, R 50/53

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1	Description of first aid measures		
	General information	Change soaked clothing.	
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek for medical treatment.	
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion	Seek medical advice immediately. Do not induce vomiting.	
4.2	Most important symptoms and ef	fects, both acute and delayed	
		Irritant effects	
4.3	Indication of any immediate medi	cal attention and special treatment needed	
		Treat symptomatically. Forward this sheet to the doctor.	
SEC	SECTION 5: Fire-fighting measures		
5.1	Extinguishing media		
	Suitable extinguishing media	Carbon dioxide. Water spray jet. Dry powder. Foam.	
	Extinguishing media that must not be used	Full water jet.	
5.2	Special hazards arising from the	substance or mixture	
		Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Nitrogen oxides (NOx).	
5.3	Advice for firefighters		
		Use self-contained breathing apparatus.	
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	

Date printed 18.02.2014, Revision 17.02.2014



Version 04. Supersedes version: 03 Pag

Page 3 / 9

SEC	SECTION 6: Accidental release measures		
6.1	Personal precautions, protective	equipment and emergency procedures High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.	
6.2	Environmental precautions		
		Do not discharge into the drains/surface waters/groundwater.	
6.3	Methods and material for contain	ment and cleaning up	
		Take up mechanically.	
		Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections		
		See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
		No special measures necessary if used correctly.	
		Wash hands before breaks and after work.	
		Use barrier skin cream.	
		Cloths contaminated with product should not be kept in trouser pockets.	
		Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.	
		Take off contaminated clothing and wash before reuse.	
7.2	Conditions for safe storage, inclu	ding any incompatibilities	
		Keep only in original container.	
		Prevent penetration into the ground.	
		Do not store together with oxidizing agents.	
		Do not store together with food and animal food/diet.	
		Keep container tightly closed.	
7.3	Specific end use(s)		
		See product use, SECTION 1.2	

Date printed 18.02.2014, Revision 17.02.2014



Version 04. Supersedes version: 03

Page 4 / 9

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

· · · · · · · · · · · · · · · · · · ·	
Range [%]	Substance
< 0,25 2,6-di-tert-butyl-p-cresol	
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4
	Long-term exposure: 10 mg/m ³

DNEL

Range [%]	Substance	
0,1 - < 0,25	0,1 - < 0,25 2,6-di-tert-butyl-p-cresol, CAS: 128-37-0	
	Industrial, inhalative, Long-term - systemic effects: 5,8 mg/m ³ .	
	Industrial, dermal, Long-term - systemic effects: 8,3 mg/kg.	
PNEC		
Pango [%]	Substance	

Range [%]	Substance	
0,1 - < 0,25	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0	
	soil, 1,04 mg/kg.	
	sewage treatment plants (STP), 100 mg/l.	
	sediment (fresh water), 1,29 mg/kg.	
	marine water, 0,0004 mg/l.	
	fresh water, 0,004 mg/l.	

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	If there is a risk of splashing: Safety glasses.
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374).
Skin protection	light protective clothing
Other	Avoid contact with eyes and skin.
Respiratory protection	not applicable
Thermal hazards	not determined
Delimitation and monitoring of the environmental exposition	See SECTION 6+7.

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 03630 grease Article number 03630

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 17.02.2014



Version 04. Supersedes version: 03

Page 5 / 9

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

internation on baole physical and	enemieai prepertiee
Form	pasty
Color	black
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not determined
Flash point [°C]	not applicable
Flammability [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	0,98 (DIN 51757) (25°C / 77,0°F)
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	NLGI 2
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 18.02.2014, Revision 17.02.2014



Version 04. Supersedes version: 03

Page 6 / 9

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity		
Range [%]	Substance	
0,1 - < 0,25	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0	
	LD50, dermal, Rabbit: > 2000 mg/kg (Lit.).	
	LD50, oral, Rat: 2930 mg/kg (Lit.).	

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	
	Toxicological data of complete product are not available. No classification on the basis of the calculation procedure of the preparation directive. The toxicity data listed pertaining to the ingredients are intended for those working in th

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Range [%]	Substance
0,1 - < 0,25 2,6-di-tert-butyl-p-cresol, CAS: 128-37-0	
	LC50, (96h), Brachidanio rerio: > 0,42 mg/l (Lit.).
	LC50, (48h), Daphnia magna: > 0,57 mg/l (Lit.).
	EC50, (72h), Scenedesmus subspicatus: > 0,42 mg/l (Lit.).

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive. Ecological data of complete product are not available. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Date printed 18.02.2014, Revision 17.02.2014



Version 04. Supersedes version: 03

Page 7 / 9

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Disposal in an incineration plant in accordance with the regulations of the local authorities. For recycling, consult manufacturer.
Waste no. (recommended)	120112* spent waxes and fats
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Uncontaminated packaging may be reused.
Waste no. (recommended)	150110* 150102 150104

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

Date printed 18.02.2014, Revision 17.02.2014



Version 04. Supersedes version: 03

Page 8 / 9

SECTION 15: Regulatory information

51	Safety health and environmental	regulations/legislation specific for the substance or mixture
13.1	EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach
		1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
	- Observe employment restrictions for people	no
	- VOC (1999/13/CE)	not applicable
5.2	Chemical safety assessment	
		not applicable
SEC	TION 16: Other information	
6.1	R-phrases (SECTION 3)	
		R 52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
		R 50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aqua environment.
6.2	Hazard statements (SECTION 3)	
		H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
6.3	Abbreviations and acronyms:	
		ADR = Accord européen relatif au transport international des marchandises Dangereuses p Route
		RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
		ADN = Accord européen relatif au transport international des marchandises dangereuses p voie de navigation intérieure
		CAS = Chemical Abstracts Service
		CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level
		DNEL = Derived No Effect Level
		EC50 = Median effective concentration
		ECB = European Chemicals Bureau EEC = European Economic Community
		EINECS = European Inventory of Existing Commercial Chemical Substances
		ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals
		IATA = International Air Transport Association
		IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
		IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods
		IUCLID = International Uniform ChemicaL Information Database
		LC50 = Lethal concentration, 50%
		LD50 = Median lethal dose MARPOL = International Convention for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance
		PNEC = Predicted No-Effect Concentration
		REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
		TLV®/TWA = Threshold limit value – time-weighted average
		TLV®STEL = Threshold limit value – short-time exposure limit
		VOC = Volatile Organic Compounds

Date printed 18.02.2014, Revision 17.02.2014



Version 04. Supersedes version: 03

Page 9 / 9

Modified position

SECTION 4 been added: Forward this sheet to the doctor.

SECTION 4 been added: If eye irritation persists: Get medical advice/attention. SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 6 been added: Forms slippery surfaces with water.

SECTION 7 been added: Take off contaminated clothing and wash before reuse.

SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace.

SECTION 7 been added: Do not eat, drink or smoke when using this product.

SECTION 7 been added: Cloths contaminated with product should not be kept in trouser pockets.

SECTION 8 been added: If there is a risk of splashing: