

Ferdinand Bilstein GmbH + Co. KG

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03	Page 1 / 8
------------------------------------	------------

SEC	TION 1: Identification of the subst	ance / preparation and of the company		
1.1	Product identifier			
		febi 22806 automatic transmission fluid (ATF)		
		Article number 22806, 26681, 26680, 30018		
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against		
1.2.1	Relevant uses			
		Gearbox oil		
1.2.2	2 Uses advised against			
	Ū	None known.		
1.3	Details of the supplier of the safe	etv data sheet		
	Company	Ferdinand Bilstein GmbH + Co. KG		
		Wilhelmstr. 47 58256 Ennepetal / GERMANY		
		Phone +49 2333 911-0		
		Fax +49 2333 911-444		
		Homepage www.febi.com E-mail info@febi.com		
	Address enquiries to			
	Technical information	info@febi.com		
	Safety Data Sheet	info@febi.com		
	-			
1.4	Emergency phone	· (0 (0)00 (00 (0 (b) (co click)		
	Advisory body	+49 (0)89-19240 (24h) (english)		
SEC	TION 2: Hazards identification			
2.1	2.1 Classification of the substance or mixture			
2.1.1	Classification according to Regu	lation (EC) No 1272/2008 [CLP]		
		not determined		
2.1.2	2 Classification according to Regu	lation 67/548/EEC or 1999/45/EC		
		No classification.		
2.2	Label elements			
		The product does not require a hazard warning label in accordance with EC-directives.		
	Labelling according to Regulation	n 67/548/EEC or 1999/45/EC		
	Hazard symbols	none		
	R-phrases	none		
2.3	Other hazards			
2.5				
	Physico-chemical hazards	No particular hazards known.		
	Human health dangers	If swallowed or in the event of vomiting, risk of product entering the lungs.		
	Other herende	Frequent persistent contact with the skin can cause skin irritation.		
	Other hazards	none		
SEC	TION 3: Composition / Information	n on ingredients		
	Product-type:			
	The product is a mixture.			
	Comment on component parts	No dangerous components.		

 Comment on component parts
 No dangerous components.

 Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 2 / 8

SECTION	4: First	aid mea	asures

4.1	Description of first aid measures	
	General information	Change soaked clothing.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek for medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Seek medical advice immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.
4.2	Most important symptoms and eff	fects, both acute and delayed
		No information available.
4.3	Indication of any immediate medi	cal attention and special treatment needed
		If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Carbon dioxide. Foam. Dry powder.
	Extinguishing media that must not be used	Full water jet.
5.2	Special hazards arising from the	substance or mixture
		Not combusted hydrocarbons. Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx).
5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measur	res
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	ment and cleaning up
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	See SECTION 8+13



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.02.2014, Revision 19.02.2014

Version 04.	Supersedes version: 03	Page 3 / 8

SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
	-	No special measures necessary if used correctly.
		The product is combustible.
		Do not eat, drink, smoke or take drugs at work. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, inclu	ding any incompatibilities
		Keep only in original container.
		Prevent penetration into the ground.
		Do not store together with food and animal food/diet. Do not store together with oxidizing agents.
		Keep container tightly closed.
		Keep container in a well-ventilated place.
7.3	Specific end use(s)	
		See product use, SECTION 1.2
SEC	TION 8: Exposure controls / perso	nal protection
8.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB)	
		not applicable
8.2	Exposure controls Additional advice on system design	Ensure adequate ventilation on workstation.
	Eye protection	If there is a risk of splashing:
		Safety glasses.
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374).
	Skin protection	Light protective clothing.
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
	Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1.
	Thermal hazards	No information available.
	Delimitation and monitoring of the environmental exposition	See SECTION 6+7.



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	red violet
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not determined
Flash point [°C]	> 150 (DIN ISO 2592)
Flammability [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	< 0,01 (20°C)
Density [g/ml]	~0,85 (DIN 51757) (15 °C / 59,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	~ 31 mm²/s (40°C) (DIN 51562/T1)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	~-42 (DIN ISO 3016)
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong acids. Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.02.2014, Revision 19.02.2014

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	

No classification on the basis of the calculation procedure of the preparation directive. Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive. Do not discharge product unmonitored into the environment or into the drainage.



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03 Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Dispose of as hazardous waste.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150102 150104 150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS	
Inland navigation (ADN)	NO DANGEROUS GOODS	

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03

Page 7 / 8

SECTION	15:	Regulatory	information

15.1	Safety, health and environmental EEC-REGULATIONS	regulations/legislation specific for the substance or mixture 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
	- Observe employment restrictions for people	no
	- VOC (1999/13/CE)	not applicable
15.2	Chemical safety assessment	not applicable
SECTION 16: Other information		
16.1	Abbreviations and acronyms:	
	-	ADR = Accord européen relatif au transport international des marchandises Dangereuses par
		Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
		ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
		CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging
		DMEL = Derived Minimum Effect Level
		DNEL = Derived No Effect Level
		EC50 = Median effective concentration ECB = European Chemicals Bureau
		EEC = European Economic Community
		EINECS = European Inventory of Existing Commercial Chemical Substances
		ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals
		IATA = International Air Transport Association
		IBC-Code = International Code for the Construction and Equipment of Ships carrying
		Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%
		IMDG = International Maritime Code for Dangerous Goods
		IUCLID = International Uniform ChemicaL Information Database
		LC50 = Lethal concentration, 50% LD50 = Median lethal dose
		MARPOL = International Convention for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance
		PNEC = Predicted No-Effect Concentration
		REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals TLV®/TWA = Threshold limit value – time-weighted average
		TLV®STEL = Threshold limit value – short-time exposure limit
		VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative
16.2	Other information	
	Modified position	SECTION 4 been added: Forward this sheet to the doctor.
		SECTION 4 been added: If eye irritation persists: Get medical advice/attention.
		SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		SECTION 7 been added: Take off contaminated clothing and wash before reuse.
		SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace.
		SECTION 8 been added: If there is a risk of splashing:
		SECTION 12 been added: Do not discharge product unmonitored into the environment or into the drainage.



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.02.2014, Revision 19.02.2014

Version 04. Supersedes version: 03 Page 8 / 8