

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**SWAG 30 92 7975 automatic transmission fluid (CVT)  
Article number 30 92 7975**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Lubricant

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** SWAG Autoteile GmbH  
Am Kiesberg 4-6  
42117 Wuppertal / GERMANY  
Phone +49 (0)202 26454-0  
Fax +49 (0)202 26454-5000  
Homepage [www.swag.de](http://www.swag.de)  
E-mail [info@swag.de](mailto:info@swag.de)

#### Address enquiries to

**Technical information** [info@swag.de](mailto:info@swag.de)

**Safety Data Sheet** [info@swag.de](mailto:info@swag.de)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (english)

**Company** +49 2333 911-0

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

No classification.

### 2.2 Label elements

The product is required to be labelled in accordance with GHS/CLP-Directives.

**Hazard pictograms** none

**Signal word** none

**Hazard statements** none

**Precautionary statements** none

**Special labelling** EUH210 Safety data sheet available on request.

Contains: olefin derivatives. EUH208 May produce an allergic reaction.

### 2.3 Other hazards

**Human health dangers** Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards** Does not contain any PBT or vPvB substances.

**Other hazards** Further hazards were not determined with the current level of knowledge.

### SECTION 3: Composition / Information on ingredients

**Product-type:**

The product is a mixture.

Range [%]	Substance
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304

**Comment on component parts**

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.  
For full text of H-statements and R-phrases: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**General information**

Change soaked clothing.

**Inhalation**

Ensure supply of fresh air.  
In the event of symptoms seek for medical treatment.

**Skin contact**

When in contact with the skin, clean with soap and water.  
Consult a doctor if skin irritation persists.

**Eye contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

**Ingestion**

Seek medical advice immediately.  
Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
Forward this sheet to the doctor.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing media**

Carbon dioxide.  
Dry powder.  
Foam.

**Extinguishing media that must not be used**

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)  
Nitrogen oxides (NOx).

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.  
Forms slippery surfaces with water.

## 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.  
Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3 Methods and material for containment and cleaning up

Take up residues with absorbent material (e.g. sand).  
Dispose of absorbed material in accordance within the regulations.

## 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures necessary if used correctly.  
The product is combustible.  
Wash hands before breaks and after work.  
Use barrier skin cream.  
Do not eat, drink or smoke when using this product.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

not applicable

### 8.2 Exposure controls

**Additional advice on system design** Ensure adequate ventilation on workstation.

**Eye protection** If there is a risk of splashing:  
Safety glasses.

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further information.  
> 0,4mm: Nitrile rubber, >480 min (EN 374).  
> 0,4mm: Neoprene, >480 min (EN 374).

**Skin protection** Light protective clothing.

**Other** Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier.  
Avoid contact with eyes and skin.

**Respiratory protection** Not required under normal conditions.

**Thermal hazards** No information available.

**Delimitation and monitoring of the environmental exposition** Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	liquid
Color	amber colour
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	210 (ISO 2592)
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	0,848 (DIN 51757) (15 °C / 59,0 °F)
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	34 mm <sup>2</sup> /s (DIN 51562) (40°C)
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	not determined
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

### 10.4 Conditions to avoid

See SECTION 7.2.  
Strong heating.

### 10.5 Incompatible materials

not determined

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Range [%]	Substance
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
	LD50, dermal, Rabbit: $\geq$ 2000 mg/kg (OECD 402).
	LD50, oral, Rat: $\geq$ 5000 mg/kg (OECD 401).
	LC50, inhalative, Rat: $\geq$ 5,53 mg/l (OECD 403).

**Serious eye damage/irritation** not determined

**Skin corrosion/irritation** not determined

**Respiratory or skin sensitisation** not determined

**Specific target organ toxicity — single exposure** not determined

**Specific target organ toxicity — repeated exposure** not determined

**Mutagenicity** not determined

**Reproduction toxicity** not determined

**Carcinogenicity** not determined

#### General remarks

No classification on the basis of the calculation procedure of the preparation directive.  
 Toxicological data of complete product are not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Range [%]	Substance
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
	LC50, (96h), fish: $>$ 100 mg/l (OECD 203).
	EC50, (48h), Crustacea: $>$ 100 mg/l (OECD 202).
	ErC50, (72h), Algae: $>$ 100 mg/l (OECD 201).

### 12.2 Persistence and degradability

**Behaviour in environment compartments** not determined

**Behaviour in sewage plant** not determined

**Biological degradability** not determined

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.  
 Ecological data of complete product are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

For recycling, consult manufacturer.  
In according to RoHS!  
Disposal in an incineration plant in accordance with the regulations of the local authorities.

#### Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Uncontaminated packaging may be reused.

#### Waste no. (recommended)

150102  
150104  
150110\*

## SECTION 14: Transport information

### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
- Observe employment restrictions for people	no
- VOC (1999/13/CE)	0%

### 15.2 Chemical safety assessment

not applicable

## SECTION 16: Other information

### 16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
ELINCS = European List of Notified Chemical Substances  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
TLV@TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

#### Classification procedure

Modified position none