

Date printed 02.06.2015, Revision 02.06.2015

Version 06. Supersedes version: 05 Page 1 / 8

SECTION	1. Identification	of the substance	mixture and	of the compan	v/undertaking
	1. Identification	or the substance		or the company	y/unuertaking

#### 1.1 Product identifier

SWAG 81 92 9934 automatic transmission fluid (ATF) Article number 81 92 9934

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- 1.2.1 Relevant uses

. . .

Lubricant

## 1.2.2 Uses advised against

None known.

## 1.3 Details of the supplier of the safety data sheet

#### Company SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

	Address enquiries to	
	Technical information	info@swag.de
	Safety Data Sheet	info@swag.de
1.4	Emergency telephone number	
	Advisorv bodv	+49 (0)89-19240 (24h

Advisory body	+49 (0)89-19240 (24h) (english)
Company	+49 (0)202 26454-0

#### **SECTION 2: Hazards identification**

. .

## 2.1 Classification of the substance or mixture

No classification.

## 2.2 Label elements

Hazard pictogramsThe product is required to be labelled in accordance with GHS/CLP-Directives.Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnoneSpecial labellingEUH210 Safety data sheet available on request.

#### 2.3 Other hazards

Physico-chemic	al hazards	No particular hazards known.
Human health da	angers	Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs.
Environmental h	azards	Does not contain any PBT or vPvB substances.
Other hazards		none



Date printed 02.06.2015, Revision 02.06.2015 Version 06. Supersedes version: 05

Page 2/8

## **SECTION 3: Composition / Information on ingredients**

## Product-type:

## The product is a mixture.

Range [%]	Substance		
50 - < 100	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)		
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, Reg-No.: 01-2119484627-25-XXXX		
	GHS/CLP: Asp. Tox. 1: H304		
2 - < 5	Methacrylate copolymer		
	EINECS/ELINCS: Polymer		
	GHS/CLP: Eye Irrit. 2: H319		
Comment on com	Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. For full text of H-statements and R-phrases: see SECTION 16.		

#### SECTION 4: First aid measures

4.1	Description of first aid measures	
	General information	Change soaked clothing.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek for medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Seek medical advice immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Forward this sheet to the doctor.

#### **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

be used

Suitable extinguishing media	Carbon dioxide.
	Dry powder.
	Foam.
Extinguishing media that must not	Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)

## 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Date printed 02.06.2015, Revision 02.06.2015



Version 06. Supersedes version: 05 Page 3/8

SEC	TION 6: Accidental release measu	ures
6.1	Personal precautions, protective equipment and emergency procedures	
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Do not discharge into the drains/surface waters/groundwater. Prevent spread over a wide area (e.g. by containment or oil barriers).
6.3	Methods and material for contain	nment and cleaning up
		Take up residues with absorbent material (e.g. sand). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		No special measures necessary if used correctly.
		The product is combustible.
		Wash hands before breaks and after work. Use barrier skin cream. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this product.
7.2	Conditions for safe storage, incl	uding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with food and animal food/diet.
		Keep container tightly closed. Protect from heat/overheating.
7.3	Specific end use(s)	
		See product use, SECTION 1.2
SEC	TION 8: Exposure controls / perse	onal protection
8.1	Control parameters	

#### Control parameters

# Ingredients with occupational

# exposure limits to be monitored (GB) Range [%] Substance 50 - < 100 Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract) CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, Reg-No.: 01-2119484627-25-XXXX Long-term exposure: 5 mg/m<sup>3</sup>, oil mist Short-term exposure (15-minute): 10 mg/m<sup>3</sup>

Date printed 02.06.2015, Revision 02.06.2015



Version 06. Supersedes version: 05 Page 4 / 8

8.2	Exposure controls	
	Additional advice on system design	Ensure adequate ventilation on workstation.
	Eye protection	If there is a risk of splashing: Safety glasses.
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374). > 0,4 mm: Neoprene, >480 min (EN 374).
	Skin protection	light protective clothing
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
	Respiratory protection	not applicable
	Thermal hazards	No information available.

Comply with applicable environmental regulations limiting discharge to air, water and soil.

# environmental exposition

## **SECTION 9: Physical and chemical properties**

Delimitation and monitoring of the

## 9.1 Information on basic physical and chemical properties

Form	liquid
Color	dark brown
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	216 (EN ISO 2592)
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	0,85 (DIN 51757) (15 °C / 59,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	37,3 mm²/s (DIN 51562) (40°C)
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	not determined
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined
Other information	

none

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

9.2

No dangerous reactions known if used as directed.



Date printed 02.06.2015, Revision 02.06.2015

Version 06. Supersedes version: 05 Page 5 / 8

## 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

## 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

#### 10.4 Conditions to avoid

Strong heating.

## 10.5 Incompatible materials

No information available.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Range [%]	Substance
50 - < 100	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
	LD50, dermal, Rabbit: > 5000 mg/kg.
	LD50, oral, Rat: > 5000 mg/kg.

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	
	The state of the s

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. Toxicological data of complete product are not available.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

### 12.3 Bioaccumulative potential

No information available.



Date printed 02.06.2015, Revision 02.06.2015

Version 06. Supersedes version: 05 Page 6 / 8

## 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

	Disposal in an incineration plant in accordance with the regulations of the local authorities. For recycling, consult manufacturer. In according to RoHS!
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Uncontaminated packaging may be reused.
Waste no. (recommended)	150102 150104 150110*

## **SECTION 14: Transport information**

## 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

## 14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with	NOT CLASSIFIED AS "DANGEROUS GOODS"

IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

#### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

#### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name



Version 06. Supersedes version: 05 Page 7 / 8

Date printed 02.06.2015, Revision 02.06.2015

## 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

regulations/legislation specific for the substance or mixture
1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).
EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
no
0%
not applicable
H304 May be fatal if swallowed and enters airways.
H319 Causes serious eye irritation.
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived No Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Inventory of Existing Commercial Chemical Substances ELINCS = European Inventory of Existing Commercial Chemical Substances ELINCS = European Inventory of Cassification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Minitime Code for Dangerous Goods IUCLID = International Conservation for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds



Date printed 02.06.2015, Revision 02.06.2015

Version 06. Supersedes version: 05 Page 8 / 8

**Modified position** 

SECTION 3 been added: Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

SECTION 15 been added: EUH210 Safety data sheet available on request.

SECTION 7 been added: Do not eat, drink or smoke when using this product.

SECTION 8 been added: Comply with applicable environmental regulations limiting discharge to air, water and soil.